

INDEX TO VOLUME 70

New generic, specific, and subspecific names are printed in **boldface** type

A

- Accipiter cooperii*, 236, 394
 striatus, 394
Actitis macularia, 150, 174, 389
Aechmophorus occidentalis, 266
Aethia cristatella, 86
 pusilla, 86
Agapornis, 89
 pullaria, 89
 taranta, 89
Agelaius phoeniceus, 26, 351, 383
 thilius, 393
 tricolor, 383
Aimophila *botterii*, 277
 cassini, 277, 397
 ruficeps, 277
Aix sponsa, 351, 389-390
Akepa, 115
Akialoa, Kauai, 102
Albatross, black-footed, 92
Alcorn, Gordon D., A winter record of the trumpeter swan in western Washington, 185
Amahiki, 102
 lesser, 109
Amphispiza bilineata, 196
Anas acuta, 267
 carolinensis, 174
 platyrhynchos, 156, 359, 363
Andrle, Robert F., Raptors and other North American migrants in México, 393-395
Ani, groove-billed, 90, 396
Anisognathus igniventris, 393
 lacrymosus, 393
Anous stolidus, 270
 tenuirostris, 44
Anser, 359, 363
Antbird, bicolored, 128
 lunulated, 128-148
 ocellated, 146
 rufous-throated, 128
 Salvin's, 128-148
 scale-backed, 128
 sooty, 136
Anthus novaezelandiae, 107
Apapane, 101
Aphelocoma coerulescens, 236
Aphriza virgata, 206-210
Archilochus alexandri, 199, 270
 colubris, 351, 363
Ardea herodias, 266
Arenaria, 206
 interpres, 103, 297, 391
 melanocephala, 207, 267
Ashmole, N. Philip, Breeding and molt in the white tern (*Cygis alba*) on Christmas Island, Pacific Ocean, 35
Atlapetes albiceps, 393
 brunneinucha, 179
 rufinucha, 393
 schistaceus, 393
Atramaeus, 397
Auklet, Cassin, 88
 crested, 86
 least, 86
 parakeet, 86
 rhinoceros, 88
Auriparus flaviceps, 196

- Austin*, George T., The occurrence of certain non-passerine birds in southern Nevada, 391
Aythya fuligula, 186

B

- Baker*, Mike Charles, Feeding-perching behavior in the mockingbird, 268
Banko, Winston E., Rediscovery of the Maui nukupuu, *Hemignathus lucidus affinis*, and sighting of Maui parrotbill, *Pseudonestor xanthophrys*, Kipahulu Valley, Maui, Hawaii, 265
Bare-eye, black-spotted, 136
 reddish-winged, 136
Bartholomew, George A., Robert C. Lasiewski, and Eugene C. Crawford, Jr., Patterns of panting and gular flutter in cormorants, pelicans, owls, and doves, 31
Basileuterus chrysogaster, 393
 fraseri, 393
 tristatus, 393
Behle, William H., A new race of the purple martin from Utah, 166
Bentbill, southern, 181
Berger, Andrew J., and Deborah V. Howard, Anophthalmia in the American robin, 386
Berger, Daniel D., and James H. Enderson, Chlorinated hydrocarbon residues in peregrines and their prey species from northern Canada, 149
Blackbird, Brewer's, 150
 European, 369, 389
 redwinged, 351, 383
 rusty, 173
 tricolored, 383
 yellow-headed, 396
Blackburn, Carol Finley, Yellow-billed magpie drowns its prey, 281
Bluebird, eastern, 351
 mountain, 396
Blue jay, 351
Bobwhite, 276, 390
Bock, Walter J., and Robert S. Hikida, An analysis of twitch and tonus fibers in the hatching muscle, 211
Bolborhynchus lineola, 89
Bolen, Eric G., and Brian W. Cain, Mixed wood duck—tree duck clutch in Texas, 389
Bombicilla cedrorum, 267
 garrula, 150
Boreophila, 397
Brachygalba goeringi, 66
Branta canadensis, 266, 328
Brant, black, 173
Brotogeris jugularis, 86, 89
Brown, Gary M., and William G. George, The high frequency of occurrence of the vestigial claw in *Colinus virginianus virginianus*, 390
Browning, M. Ralph, and William English, A breeding colony of the Cassin's auklet and possible breeding colony of the rhinoceros auklet on Goat Island, southwestern Oregon, 88
Bubo virginianus, 31-34, 156
Bubulcus ibis, 92
Buckley, P. A., and F. G. Buckley, Upside-down resting in young green-rumped parrotlets (*Forpus passerinus*), 89
Bullfinch, 240, 323-332
Bunting, indigo, 351
 varied, 199

- Burley, Virginia Ehl, Incubation at low temperature by the zebra finch, 184
Buteo buteo, 359
jamaicensis, 267, 370
lagopus, 373-377
platypterus, 93, 394
swainsoni, 394
Buthraupis montana, 393
Butoria les virescens, 93

C

- Cacicus holosericeus*, 393
 Cade, Tom J., Clayton M. White, and John R. Haugh, Peregrines and pesticides in Alaska, 170
 Cain, Brian W., and Eric G. Bolen, Mixed wood duck—tree duck clutch in Texas, 389
Calcarius lapponicus, 330
 Calder, W. A., The diurnal activity of the roadrunner, *Geococcyx californianus*, 84; Nest sanitation: a possible factor in the water economy of the roadrunner, 279; Respiratory and heart rates of birds at rest, 358
Calidris canutus, 207
tenuirostris, 207
Calocitta collicii collicii, 396
Calothorax lucifer, 270
Calypte anna, 270, 273-274
costae, 270
Campylorhynchus brunneicapillus, 121-127, 198, 388-389
 Canvasback, 173
Capella gallinago, 174
Caprimulgus anthonyi, 223-227
cayennensis, 225
cayennensis insularis, 224
parvulus heterurus, 224
parvulus parvulus, 224
 Caracara, yellow-headed, 76
 Cardinal, 351
Carduelis flammea, 327
Carpodacus mexicanus, 106, 199, 268
Casmerodius albus, 93
Casuaris, 337
Catamenia analis, 393
homochroa, 393
inornata, 393
 Catbird, 184
Cathartes aura, 359, 363, 393
Catoptrophorus semipalmatus, 267
Centurus carolinus, 351
Cerorhinca monocerata, 88, 267
Chaetoptila, 103
Chaetura vauxi, 391
Chalcophaps indica, 1-13
 Chandola, Asha, and J. P. Thapliyal, Endocrine regulation of body weight in the spotted munia, *Uroloncha punctulata*, 248
Charadrius, 206
alexandrinus, 267, 390-391
alexandrinus nivosus, 395
semipalmatus, 391
vociferus, 351
 Chat, yellow-breasted, 351
Chelidoptera tenebrosa, 67
Chen hyperborea, 266
 Chickadee, black-capped, 173, 309-322
 Carolina, 351
 chestnut-backed, 309-322
 Hudsonian, 173
 Chicken, domestic, 336
Chloris chloris, 240
Chlorornis reiffertii, 393
Chlorospingus parvirostris, 393
Chlorura chlorura, 268
Chondestes grammacus, 199
Chordeiles acutipennis, 197, 336
 minor, 336, 363
Cinclus mexicanus, 363
Circus cyaneus, 394
 Ciridops, 103
Cissopis leveriana, 393
Claravis mondetoura, 179, 180
 pretiosa, 180
Coccyzus americanus, 351
 Cody, Martin L., Interspecific territoriality among hummingbird species, 270
Colaptes auratus, 174, 363
 cafer, 396
 cafer collaris, 396
 cafer mexicanus, 396
 cafer nanus, 396
Colinus virginianus virginianus, 390
 Collias, Elsie C., and Nicholas E. Collias, Anna's hummingbirds trained to select different colors in feeding, 273
 Columba, 1-13
 araucana, 7
 arquatrix, 9
 caribaea, 7
cayennensis, 1-13
 fasciata, 1-13, 391
 flavirostris, 1-13
 guinea, 1-13
 leucocephala, 1-13
 livia, 1-13, 267, 363
 maculosa, 1-13
 oenas, 1-13
 palumbus, 1-13
 picazuro, 1-13
 plumbea, 9
 squamosa, 9
 trocaz, 9
Columbigallina talpacoti, 1-13
Conirostrum cinereum, 393
Conothraupis speculigera, 393
Contopus virens, 351
Copsychus malabaricus, 116
 Corbin, Kendall W., Taxonomic relationships of some Columba species, 1
 Cormorant, double-crested, 31-34
Corvus corax, 267
 corax sinuatus, 280, 396
 corone, 359
 cryptoleucus, 281
 frugilegus, 359
 monedula, 359
Coryphospingus pileatus, 393
 Coutlee, Ellen L., Comparative breeding behavior of lesser and Lawrence's goldfinches, 228; Maintenance behavior of lesser and Lawrence's goldfinches, 378
 Cowbird, bronzed, 183
 brown-headed, 197, 236
 shiny, 71
 Cracraft, Joel, First record of the turkey, *Meleagris gallopavo*, from the Pleistocene of México, 274
 Crawford, Eugene C., Jr., and Robert C. Lasiewski, Oxygen consumption and respiratory evaporation of the emu and rhea, 333
 Crawford, Eugene C., Jr., Robert C. Lasiewski, and George A. Bartholomew, Patterns of panting and gular flutter in cormorants, pelicans, owls, and doves, 31

Creagrus furcatus, 252-264
 Creeper, Maui, 266
Crocethia alba, 103, 267, 391
 Crossbill, white-winged, 173
Crotophaga sulcirostris, 396
 Cuckoo, yellow-billed, 351
 Curlew, bristle-thighed, 103
 long-billed, 91
Cyanocitta cristata, 351, 359, 363
Cyclathis gujanensis, 75
Cyclorhynchus psittacula, 86
Cynanthus latirostris, 270

D

Dacnis lineata, 393
Dendrocincla fuliginosa, 135
 merula, 135-136
Dendrocopos arizonae, 83
 borealis, 83
 pubescens, 84, 351
 scalaris, 199, 396
 scalaris centrophilus, 396
 scalaris giraudi, 396
 scalaris symplectis, 396
 stricklandi, 83
 villosus, 84, 351
Dendrocygna autumnalis, 389-390
Dendroica cerulea, 351
 townsendi, 396
 DeWolfe, Barbara B., and Leonard J. Peyton, A distinctive song pattern in Gambel's white-crowned sparrow, 385
Diglossa caerulescens, 393
Diomedea nigripes, 92
Diuca specularis, 393
Donacobius atricapillus, 71-76
 Dovekie, 86, 182
 Dove, mourning, 31-34, 196
 white-winged, 199
 Dowitcher, 267
 Downing, Glenn R., and Edson Fichter, First specimen records of the dunlin and the snowy plover in Idaho, 390
Dromiceius novae-hollandiae, 333-339, 359
Dubusia castaneoventris, 393
 taeniata, 393
 Duck, black-bellied tree, 389-390
 harlequin, 173
 tufted, 186
 wood, 351, 389-390
Ducula goliath, 1-13
Dumatella carolinensis, 184, 363
 Dunlin, 390

E

Eagle, golden, 277
 Egret, cattle, 92
 common, 93
 snowy, 93
 Eisenmann, Eugene, Behavior of orange-chinned parakeets in Panamá, 86
 Eisenmann, Eugene, Storrs L. Olson, and George V. N. Powell, Distributional records from Cerro Campana, Panamá, with notes on a nesting of the quail-dove, *Geotrygon lawrencii*, 179
 Ely, Charles A., Hammond flycatcher in west-central Kansas, 89
Emberiza citrinella, 336, 393
 elegans, 393
 hortulana, 336

Emberizoides herbicola, 393
Empidonax flaviventris, 359, 363
 hammondii, 89
 traillii, 351
 virescens, 351
 Emu, 333-339
 Enderson, James H., and Daniel D. Berger, Chlorinated hydrocarbon residues in peregrines and their prey species from northern Canada, 149
 English, William, and M. Ralph Browning, A breeding colony of the Cassin's auklet and possible breeding of the rhinoceros auklet on Goat Island, southwestern Oregon, 88
Eremophila alpestris, 183, 267
Ereunetes mauri, 267
Ergaticus ruber, 271
Erithacus rubecula, 359
Erolia alpina, 207, 390
 bairdi, 391
 fuscicollis, 395
 maritima, 207
 minutilla, 396
 ptilocnemis, 207-208
 Erpino, Michael J., Age determination in the black-billed magpie, 91; Nest-related activities of black-billed magpies, 154
 Escalante, Rodolfo, Notes on the royal tern in Uruguay, 243
Estrilda melpoda, 359
 trogodytes, 336, 359
Eudocimus albus, 93
Eugenes fulgens, 270
Euneornis campestris, 393
Euphagus cyanocephalus, 150, 268
Euphonia anaea, 179
Eutoxeres aquila, 180
Excalfactoria chinensis, 336, 359

F

Falco columbarius, 394
 peregrinus, 149-153, 170-179, 394
 rusticolus, 397
 sparverius, 187, 267, 394
 Falcon, peregrine, 149-153, 170-178, 277, 394
 Farner, Donald S., R. Alan Lewis, and Martin L. Morton, A second large wintering population of white-crowned sparrows, *Zonotrichia leucophrys gambelii*, in Washington, 280
 Fichter, Edson, and Glenn R. Downing, First specimen records of the dunlin and the snowy plover in Idaho, 390
 Finch, grosbeak, 101
 house, 106, 199
 Laysan, 107
 zebra, 184
 Flicker, red-shafted, 396
 yellow-shafted, 173, 174
Florida caerulea, 92
 Flycatcher, Acadian, 351
 ash-throated, 199
 great crested, 351
 Hammond, 89
 kiskadee, 396
 olive-sided, 173
 Traill's, 351
 vermillion-crowned, 73
 Wied crested, 88
 Folz, S. D., W. M. Samuel, and D. O. Trainer, Capillariasis in the gyrfalcon, 276
Forpus passerinus, 89
 Foster, Woodbridge A., Total brood mortality in late-nesting cliff swallows, 275

- Fregata magnificens*, 254, 398
 minor, 254, 269
Fringilla coelebs, 393
montifringilla, 393
Fulmarus glacialis, 266

G

- Galbula leucogastra*, 70
ruficauda, 67, 69
Gallicolumba luzonica, 1-13
Gallinula chloropus, 395
Gallinule, common, 395
 purple, 73, 391
Gallus, 56-65
domesticus, 359
gallus, 56-65
gallus × *sonneratii*, 56-65
gallus × *varius*, 56-65
lafayetii, 56-65
sonneratii, 56-65
varius, 56-65
Garrulax canorus, 116
Gavia immer, 266
Gelochelidon nilotica, 395
Geococcyx californianus, 84, 197, 279
 George, William G., A second report on the basihyale
 in American songbirds, with remarks on the
 status of *Peucedramus*, 392
 George, William G., and Gary M. Brown, The high
 frequency of occurrence of the vestigial claw
 in *Colinus virginianus virginianus*, 390
Geospiza difficilis, 269
Geothlypis aequinoctialis, 393
trichas, 351
Geotrygon lawrencii, 179
Gnatcatcher, black-tailed, 196
 blue-gray, 351
Gnathospiza taczanowskii, 393
Gnatwren, long-billed, 77
 straight-billed, 78, 79
 Gochfeld, Michael, Notes on the status of the tufted
 duck (*Aythya fuligula*) in North America with
 a report of a new observation from Wyoming,
 186
Goldfinch, American, 351, 378
 European, 240
 Lawrence's, 228, 378-383
 lesser, 228-242, 378-384
Goose, Canada, 328
 domestic, 336
Goshawk, 276-277
Grackle, common, 351
Grassquit, blue-black, 397
Grebe, horned, 173
 red-necked, 173
Greenfinch, 240
Grosbeak, black-headed, 388
 pine, 173
Ground-dove, blue, 180
 maroon-chested, 180
Groundlark, 107
Grouse, black, 276
 ruffed, 173, 276
 spruce, 173
Gull, black-headed, 262
 Bonaparte's, 173, 395
 California, 390
 common, 369
 Hemprich's, 256
 herring, 259
 mew, 150, 173, 175
 Sabine's, 173

- Gygis alba*, 35-55
Gymnophis bicolor, 128
leucapsis, 128, 136
lunulata, 128-148
rufigula, 128
salvini, 128-148
Gyr Falcon, 397

H

- Haematopus*, 206
bachmani, 207
 Hainsworth, F. Reed, and Robert E. Ricklefs, Tem-
 perature regulation in nestling cactus wrens:
 the development of homeothermy, 121
 Hall, Frank A., and Stanley W. Harris, Hybrid of
 blue-winged teal × shoveller in northwestern
 California, 188
Harpagus bidentatus, 138
 Harris, Michael P., Egg-eating by Galápagos mock-
 ingbirds, 269
 Harris, Stanley W., and Frank A. Hall, Hybrid of
 blue-winged teal × shoveller in northwestern
 California, 188
 Harris, Stanley W., and Charles F. Yocom, Records
 of snowy owls in California, 392
 Haugh, John R., Tom J. Cade, and Clayton M. White,
 Peregrines and pesticides in Alaska, 170
Hawk, broad-winged, 93, 394
 Cooper's, 236, 277, 394
 marsh, 394
 pigeon, 277, 394
 red-shouldered, 277
 red-tailed, 276-277, 373-377
 rough-legged, 373-377
 sharp-shinned, 394
 sparrow, 187, 394
 Swainson's, 394
Hemignathus lucidus affinis, 265
procerus, 102
Hemispingus atropileus, 393
Heron, green, 93
 little blue, 92
 Louisiana, 93
Heteroscelus incanus, 207, 267
 Hikida, Robert S., and Walter J. Bock, An analysis
 of twitch and tonus fibers in the hatching
 muscle, 211
Himatione sanguinea, 101
 Holmes, Richard T., A dovekie in the Pribilof Islands,
 Alaska, 86
Honeycreeper, crested, 266
 Howard, Deborah V., and Andrew J. Berger, Anoph-
 thalmia in the American robin, 386
 Hubbs, Carl L., Dispersal of cattle egret and little
 blue heron into northwestern Baja California,
 México, 92
Hummingbird, calliope, 391
 ruby-throated, 351
Hydranassa tricolor, 93
Hylocharis leucotis, 270
Hylocichla mustelina, 351, 359, 363
Hylophylax naevioides, 137
poecilonota, 128

I

- Ibis*, white, 93
Icteria virens, 351
Icterus galbula, 351
mesomelas, 393
parisorum, 197
Iiwi, 101

- Incaspiza pulchra*, 393
watkinsi, 393
Iridophanes pulcherrima, 393
Iridosornis analis, 393
reinhardtii, 393
 Irving, Laurence, Leonard J. Peyton, George C. West,
 and Susan Savage, Morphological homogeneity
 of a population of willow ptarmigan, 340
Ixoreus naevius, 174

J

- Jacamar, pale-headed, 66
rufous-tailed, 67, 69
 Jay, gray, 173, 174
maggie, 396
scrub, 236
 Jehl, Joseph R., Jr., The systematic position of the
surfbird, *Aphriza virgata*, 206
 Johnson, R. Roy, and Bernard Roer, Changing status
 of the bronzed cowbird in Arizona, 183
 Johnson, Richard E., and F. Russell Lockner, Heart
 size and altitude in ptarmigan, 185
Junco oreganus, 268
Junco, slate-colored, 173
Junglefowl, 56-65

K

- Karr, James R., Habitat and avian diversity on strip-
 mined land in east-central Illinois, 348
 Kestrel, American, 173, 277
 Kibby, Sally S., L. Richard Mewaldt, and Martin L.
 Morton, Comparative biology of Pacific coastal
 white-crowned sparrows, 14
 Killdeer, 351
 Kingbird, eastern, 351
 Kite, double-toothed, 138
 Kittiwake, 252
 Knot, great, 207

L

- Lagopus lagopus*, 185
lagopus alascensis, 340-347
lagopus alleni, 340
leucurus, 185
mutus, 185, 277
Lampornis clemenciae, 270
Lanius ludovicianus, 268
 Lark, horned, 183
Larus argentatus, 259, 267
californicus, 267, 390
canus, 150, 175, 359, 369
fuliginosus, 252, 269
glaucescens, 267
heermanni, 267
hemprichi, 256
modestus, 252
occidentalis, 267
philadelphia, 395
ridibundus, 262
 Lasiewski, Robert C., George A. Bartholomew, and
 Eugene C. Crawford, Jr., Patterns of panting
 and gular flutter in cormorants, pelicans, owls,
 and doves, 31
 Lasiewski, Robert C., and Eugene C. Crawford, Jr.,
 Oxygen consumption and respiratory evapora-
 tion of the emu and rhea, 333
Leiothrix lutea, 107
Leistes militaris, 393
Leptotila rufaxilla, 1-13
Leucophox thula, 93

- Lewis, R. Alan, Martin L. Morton, and Donald S.
 Farner, A second large wintering population of
 white-crowned sparrows, *Zonotrichia leuco-*
phrys gambelii, in Washington, 280
 Ligon, J. David, Observations on Strickland's wood-
 pecker, *Dendrocopos stricklandi*, 83; First rec-
 ord of the gyrfalcon in Idaho, 397; Starvation
 of spring migrants in the Chiricahua moun-
 tains, Arizona, 387
Limosa fedoa, 267
 Lockner, F. Russell, and Richard E. Johnson, Heart
 size and altitude in ptarmigan, 185
 Loftin, Horace, Stephen D. Martin, and George V. N.
 Powell, An addition to the avifauna of Pan-
 amá: long-billed curlew (*Numenius ameri-*
canus), 91
 Longspur, Lapland, 330
Loomelania melania, 266
Lophortyx californicus, 107, 267
gambelii, 197, 366-372
Loriculus, 89
Loxia curvirostra, 359
Loxigilla, 393
Loxops coccinea, 115
maculata newtoni, 266
parva, 109
virens, 102
Lundia cirrhata, 88
Luscinia luscinia, 330

M

- Magpie, black-billed, 91, 154-165, 183
 Mallard, 156
 Martin, Larry D., and James Tate, Jr., Horned lark
 and black-billed magpie from the Pleistocene
 of Nebraska, 183
 Martin, purple, 166-169
 Martin, Stephen G., Horace Loftin, and George V.
 N. Powell, An addition to the avifauna of Pan-
 amá: long-billed curlew (*Numenius ameri-*
canus), 91
 Martinez, Aida, and Raymond McNeil, Notes on the
 nesting of the short-tailed pigmy-tyrant (*My-*
iornis ecaudatus) in northeastern Venezuela,
 181
 Mayfield, Harold F., Nests of the red warbler and
 crescent-chested warbler in Oaxaca, México,
 271
 Maze, Richard L., and Ralph J. Raitt, Densities and
 species composition of breeding birds of a
 creosotebush community in southern New Mex-
 ico, 193
Megaceryle alcyon, 267
Megadyptes antipodes, 323
Melanerpes erythrocephalus, 351
Melanitta deglandi, 175
perspicillata, 175
Meleagris alta, 274
crassipes, 274
gallopavo, 274
leopoldi, 274
richmondi, 274
Melospiza undulatus, 359
Melospiza melodia, 268, 363
Melospiza kieneri kieneri, 397
 Mewaldt, L. Richard, Sally S. Kibby, and Martin L.
 Morton, Comparative biology of Pacific coastal
 white-crowned sparrows, 14
Microthene whitneyi, 199
Micropalama himantopus, 395
 Mills, Eric L., Observations of the ringed storm-petrel
 off the northwest coast of South America, 87

Milvago chimachima, 76
 Mimus gilvus, 76
 Mimus polyglottos, 199, 267-268
 Mitrephanes phaeocercus, 179
 Mockingbird, 199

tropical, 76
 Mockingthrush, black-capped, 71
 Molothrus ater, 197, 236, 268
 bonariensis, 71, 393

Morejohn, G. Victor, A study of plumage of the four species of the genus *Callus*, 56

Morton, Martin L., Donald S. Farner, and R. Alan Lewis, A second large wintering population of white-crowned sparrows, *Zonotrichia leucophrys gambelii*, in Washington, 280

Morton, Martin L., Sally S. Kibby, and L. Richard Mewaldt, Comparative biology of Pacific coastal white-crowned sparrows, 14

Munia atricapilla atricapilla, 107
Munia, Malay chestnut-bellied, 107
 spotted, 248-251

Myadestes obscurus cinereus, 396
 townsendi, 150

Myiarchus cinerascens, 199
 crinitus, 351
 tyrannulus, 88
 tyrannulus magister, 88

Myioborus melanocephalus, 393

Myiornis ecaudatus, 181-182

Myiozetetes similis, 73

Myospiza aurifrons, 393

Myrmeciza fortis, 136

Mc

McCaskie, R. Guy, A broad-winged hawk in California, 93; Noteworthy records of vireos in California, 186

McKnight, Barbara C., Groove-billed ani and golden-crowned sparrow in New Mexico, 90

McNeil, Raymond, and Aida Martinez, Notes on the nesting of the short-tailed pigmy-tyrant (*Myiornis ecaudatus*) in northeastern Venezuela, 181

N

Neophoma bourkii, 336
 petrophila, 336

Nesomimus macdonaldi, 269
 melanotis, 269
 parvulus, 269
 parvulus bauri, 269
 trifasciatus, 269

Nesospiza acunnae, 393

Newton, I., The temperatures, weights, and body composition of molting bullfinches, 323

Nighthawk, lesser, 197

Nightingale, Pekin, 107

Northern, James R., Canada warbler in California, 391

Nukupuu, Maui, 265

Numenius americanus, 91, 267
 americanus americanus, 91
 phaeopus, 267
 tahitiensis, 103

Nuthatch, white-breasted, 351

Nyctea scandiaca, 392

Nymphicus hollandicus, 336

O

Oceanites gracilis, 87

Oceanodroma hornbyi, 87
 markhami, 87
 tethys, 87, 269

Oenocnas, 8

Ohmart, Robert D., Breeding of Botteri's sparrow (*Aimophila botterii*) in Arizona, 277

Olor buccinator, 185

Olson, Storrs L., George V. N. Powell, and Eugene Eisenmann, Distributional records from Cerro Campana, Panamá, with notes on a nesting of the quail-dove, *Geotrygon lawrencii*, 179

Oncostoma olivaceum, 181

Oporornis formosus, 351

Oreomanes fraseri, 393

Oreomyza flammea, 106

Oriole, Baltimore, 351
 Scott, 197

Osprey, 152, 394

Ostrich, 334

Otus asio quercinus, 336
 asio sinaloensis, 336

Ou, Oahu, 103

Ovenbird, 389

Owl, barn, 31-34
 boreal, 173
 elf, 199
 hawk, 173
 great horned, 31-34, 156
 long-eared, 396
 snowy, 392

P

Palmeria dolei, 266

Pandion haliaetus, 394

Parakeet, orange-chinned, 86

Parapavo, 274

Parrotbill, Maui, 265

Parrotlet, green-rumped, 89

Partridge, Hungarian, 276

Parula americana, 351

Parus ater, 319

atricapillus, 309-322, 359, 363

bicolor, 351

caeruleus, 319

carolinensis, 319, 351

inornatus, 319

major, 319

montanus, 319

palustris, 318

rufescens, 309-322

wollwoeberi, 318

Passer domesticus, 268, 359, 363, 368

Passerculus sandwichensis, 397

brunnescens, 397

nevadensis, 397

Passerina cyanea, 351

Passerina versicolor, 199

Patagioenas, 8

Patagona gigas, 336

Pelecanoides garnotti, 182

urinatrix, 182

Pelecanus erythrorhynchos, 359, 363

occidentalis, 31-34, 266, 359

Pelican, brown, 31-34

Pepper-Shrike, rufous-browed, 75

Perisoreus griseus, 174

Petrel, dark-rumped, 114

Petrochelidon pyrrhonota, 150, 275

Peucedramus, 392

Pewee, eastern wood, 351

Peyton, Leonard J. and Barbara B. DeWolfe, A distinctive song pattern in Gambel's white-crowned sparrow, 385-386

Peyton, Leonard J., George C. West, Susan Savage, and Laurence Irving, Morphological homo-

geneity of a population of Alaska willow
 ptarmigan, 340-347
Pezities militaris, 393
Phacellodomus rufifrons, 66
Phaenostictus mcleammani, 146
Phaethon, 39
Phainopepla, 199, 396
 nitens nitens, 396
Phalacrocorax auritus, 31-34, 266
 pelagicus, 266
 penicillatus, 266
Phalaenoptilus nuttallii, 336, 363
Phalarope, northern, 173
 Wilson's, 395
Phaps chalcoptera, 1-13
Phasianus colchicus, 107, 267
Pheasant, ring-necked, 107
Pheucticus melanocephalus, 268, 388
 Phillips, Allan R., A notable specimen of *Vireo nelsoni*, 90
Phlegopsis erythroptera, 136
 nigromaculata, 136
Phoebe, Say's, 173
Phrygilus alaudinus, 393
 fruticeti, 393
 gayi, 393
 plebeus, 393
Pica nuttalli, 281
 pica, 183
 pica hudsonia, 91, 154-165
Piezorhina cinerea, 393
Pigeon, band-tailed, 391
 domestic, 336
Pigmy-Tyrant, short-tailed, 181-182
Pintail, 173, 174
Pipilo aberti, 336
 erythrophthalmus, 351, 363
 fuscus, 336
 maculatus, 336
Piranga ludoviciana, 268, 388
Pitangus sulphuratus derbianus, 396
Platycercus zonarius, 336
Platyrinchus mystaceus, 179
Plautus alle, 86, 182
Plectrophenax nivalis, 330
Plover, Pacific golden, 103
 semipalmated, 391
 snowy, 390-391, 395
 upland, 173
Pluvialis dominica fulva, 103
Pluvianellus socialis, 206
Podargus strigoides, 359
Poliophtila caerulea, 351
 melanura, 198
Polyborus tharus, 359
Poocetes gramineus, 122
Poospizopsis caesar, 393
Poospiza hispaniolensis, 393
Porphyrula martinica, 73, 391
Potoyuncu, 182
 Powell, George V. N., Horace Loftin, and Stephen G. Martin, An addition to the avifauna of Panamá: long-billed curlew (*Numenius americanus*), 91
 Powell, George V. N., Storrs L. Olson, and Eugene Eisenmann, Distributional records from Cerro Campana, Panamá, with notes on a nesting of the quail-dove, *Geotrygon lawrencii*, 179
Premnoplex brunescens, 179
Progne chalybea, 138
 subis, 166-169
 subis arboricola, 166-169

subis hesperia, 166-169
 subis subis, 166-169
Protonotaria citrea, 351
Pseudonestor xanthophrys, 265
Psittirostra cantans, 107
 kona, 101
 olivacea, 103
Ptarmigan, rock, 185, 277
 white-tailed, 185
 willow, 185, 340-347
Pterodroma phaeopygia sandwichensis, 114
Ptychoramphus aleutica, 88
Puffin, tufted, 88
Puffinus newelli, 114
Pygmyptila stellaris, 138
Pyrrhula pyrrhula, 240, 323-332, 359
Pyrrhuloxia sinuata, 199
Pyrrhuloxia, 199
Pyrrhuloxia jamaica, 393

Q

Quail, California, 107
 Gambel, 197, 366-372
Quail, scaled, 196
Quail-Dove, purplish-backed, 179
Quiscalus quiscula, 351, 393

R

Raitt, Ralph J., Annual cycle of adrenal and thyroid glands in Gambel quail of southern New Mexico, 366-372
 Raitt, Ralph J., and Richard L. Maze, Densities and species composition of breeding birds of a creosotebush community in southern New Mexico, 193
Ramphocaelus melanurus, 77
 rufiventris, 78, 79
Ramphocelus carbo, 80
 passerinii costaricensis, 80
Raven, common, 396
Redpoll, 173, 327
Redstart, American, 351
Rhea, 333-339
 americana, 333-339, 359
 Rhynchospiza stolzmanni, 393
 Richmondia cardinalis, 336, 351, 359, 363
 Ricklefs, Robert E., and F. Reed Hainsworth, Temperature regulation in nestling cactus wrens: the development of homeothermy, 121
 Ricklefs, Robert E., The survival rate of juvenile cactus wrens, 388-389
Rissa tridactyla, 252, 256, 267
Roadrunner, 84
Robin, American, 173, 174, 386-387
 Roer, Bernard, and R. Roy Johnson, Changing status of the bronzed cowbird in Arizona, 183

S

Salpinctes obsoletus, 197, 267
Saltator albicollis, 75, 393
 aurantiostriatus, 393
 buff-throated, 75
 maximus, 75
 streaked, 75
 Samuel, W. M., D. O. Trainer, and S. D. Folz, Capillariasis in the gyrfalcon, 276
Sanderling, 103, 391
Sandpiper, Baird's, 391
 least, 396
 pectoral, 173
 redbacked, 207

- semipalmated, 173
solitary, 173
spotted, 150, 173, 174, 396
stilt, 395
white-rumped, 395
Sapsucker, yellow-bellied, 150, 396
Savage, Susan, Laurence Irving, Leonard J. Peyton, and George C. West, Morphological homogeneity of a population of Alaska willow ptarmigan, 340-347
Sayornis nigricans, 267
saya, 267
Scaup, 173
Schistoclamys melanopsis, 393
Schnell, Gary D., Differential habitat utilization by wintering rough-legged and red-tailed hawks, 373-377
Schwartz, Paul, Notes on two neotropical nightjars, Caprimulgus anthonyi and C. parvulus, 223
Scoter, surf, 173, 175
white-winged, 173, 175
Seiurus aurocapillus, 389
Selasphorus platycercus, 270
rufus, 270
sasin, 270
Serinus canaria, 359, 363
Setophaga ruticilla, 351
Shearwater, Newell's, 114
Shoveler, 173, 174
Shrike, loggerhead, 196
Sialia currucoides, 396
sialis, 351
Sicalis flaveola, 393
lutea, 393
luteola, 393
olivascens, 393
urophygialis, 393
Sicklebill, white-tipped, 180
Siskin, pine, 396
Sitta canadensis, 267
carolinensis, 351
Skutch, Alexander F., The nesting of some Venezuelan birds, 66
Snipe, common, 173, 174
Snow, Barbara K. and D. W. Snow, Behavior of the swallow-tailed gull of the Galápagos, 252-264
Snow bunting, 330
Solitaire, brown-backed, 396
Townsend's, 150, 173
Songthrush, 107
Sparrow, black-throated, 196
Cassin's, 277, 397
chipping, 397
field, 351
fox, 173
golden-crowned, 14, 90
ground, 397
house, 368
lark, 199
rufous-crowned, 277
savannah, 397
vesper, 122
white-crowned, 14-30, 173, 326-327, 385-386
Spatula clypeata, 174
Speotyto cunicularia, 267
Sphyrapicus varius, 150
varius nuchalis, 396
Spinus lawrencei, 228-242, 378-384
pinus, 396
pinus macropterus, 396
psaltria, 228-242, 378-384
tristis, 351, 378
Spizella passerina, 363, 397
passerina atremacus, 397
passerina mexicana, 397
pusilla, 351
Sporophila castaneiventris, 393
luctuosa, 393
nigricollis, 393
obscura, 393
peruviana, 393
simplex, 393
telasco, 393
Sprosser, 330
Squatarola squatarola, 267
Starling, 151
Steganopus tricolor, 395
Stellula calliope, 270, 391
Stendell, Rey, and Lee Waian, Observations on food-caching by an adult female sparrow hawk, 187
Stephanophorus diadematus, 393
Stercorarius parasiticus, 267
Sterna eurygnatha, 243
forsteri, 267
maxima, 243-247
paradisaea, 150
sumatrana, 40, 50
Storm-Petrel, ringed, 87
sooty, 87
wedge-rumped, 87
white-vented, 87
Streptopelia, 8
chinensis, 8, 10
decaocto, 1-13
risoria, 8
senegalensis, 8
Strix aluco, 359
Struthio camelus, 336, 359
Sturman, William A., The foraging ecology of Parus atricapillus and P. rufescens in the breeding season, with comparisons with other species of Parus, 309-322
Sturnella neglecta, 268
Sturnus vulgaris, 151, 359
Sula dactylatra, 52
sula, 269
Surfbird, 206-210
Swallow, bank, 173
cliff, 150, 173
Swallow-wing, 67
Swan, trumpeter, 185
Swift, white-throated, 196
Vaux's, 391
- T**
- Taeniopygia castanotis, 184
Tanager, silver-beaked, 80
song, 80
western, 388
Tanagra chlorotica, 393
lanirostris, 393
Tangara chilensis, 393
cyanicollis, 393
gyrola, 393
punctata, 393
velia, 393
xanthogastra, 393
Tangavivus aeneus, 183
Tate, James, Jr., and Larry D. Martin, Horned lark and black-billed magpie from the Pleistocene of Nebraska, 183
Teal, blue-winged, 173
green-winged, 173, 174

- Tern, arctic, 150, 173
black-naped, 40
fairy, 35
gull-billed, 395
royal, 243-247
white, 35-55
Thalasseus maximus, 243-247, 267
Thapliyal, J. P. and Asha Chandola, Endocrine regulation of body weight in the spotted munia, Uroloncha punctulata, 248
Thlypopsis ornata, 393
ruficeps, 393
Thornbird, rufous-fronted, 66
Thrasher, brown, 351
crissal, 196
curve-billed, 199
Thraupis bonariensis, 393
cyanocephala, 393
Thrush, bare-eyed, 75, 77
Chinese, 116
hermit, 173
shama, 116
Swainson's, 173
varied, 173, 174
wood, 351
Thryothorus leucotis, 70
ludovicianus, 351
semibadius, 71
Titmouse, tufted, 351
Todiostomum maculatum, 181
Tody-flycatcher, spotted, 181
Totanus flavipes, 174
Towhee, rufous-sided, 351
Townsend, William C., Birds observed on San Nicolas Island, California, 266
Toxostoma dorsale, 198
redivivum, 336
rufum, 351, 359, 363
Trainer, D. O., S. D. Folz, and W. M. Samuel, Capillariasis in the gyrfalcon, 276
Trogodytes aedon, 125
musculus, 68
Trogon aurantiiventris, 179, 180
collaris puella, 180
Trogon, orange-bellied, 180
Turdus assimilis, 179
ericitorum, 107
merula, 359, 369, 389
migratorius, 174, 359, 363, 386-387
nudigenis, 75, 77
philomelos, 359
Turnstone, ruddy, 103, 391
Tyrannus tyrannus, 351
Tyto alba, 31-34

U

- Uroloncha punctulata, 248-251

V

- Verdin, 196
Vermivora superciliosa, 271
Vestiaria coccinea, 101
Vireo bellii, 186, 199
flavifrons, 186
Vireo flavoviridis, 186
gilvus, 351
nelsoni, 90
olivaceus, 186, 351
philadelphicus, 186
solitarius, 186

- Vireo, Bell's, 186
Philadelphia, 186
red-eyed, 186, 351
solitary, 186
warbling, 351
yellow-green, 186
yellow-throated, 186
Volatinia jacarina diluta, 397
Vulture, turkey, 393

W

- Waian, Lee, and Rey Stendell, Observations on food-caching by an adult female sparrow hawk, 187
Warbler, Canada, 391
cerulean, 351
Kentucky, 351
orange-crowned, 173
parula, 351
pileolated, 396
prothonotary, 351
Townsend's, 396
Wilson's, 388
yellow, 173
Warner, Richard E., The role of introduced diseases in the extinction of the endemic Hawaiian avifauna, 101
Watson, George E., Synchronous wing and tail molt in diving petrels, 182
Wauer, Roland H., Northern range extension of Wied's crested flycatcher, 88
Waxwing, Bohemian, 150, 173
Webster, J. Dan, Ornithological notes from Zacatecas, Mexico, 395-397
West, George C., Susan Savage, Laurence Irving, and Leonard J. Peyton, Morphological homogeneity of a population of Alaska willow ptarmigan, 340-347
Wetmorethraupis sterrhopteron, 393
White, Clayton M., Tom J. Cade, and John R. Haugh, Peregrines and pesticides in Alaska, 170
White-eye, 107
Widgeon, American, 173
Willis, Edwin O., Studies of the behavior of lunulated and Salvin's antbirds, 128
Wilsonia canadensis, 391
pusilla, 268, 388
pusilla pileolata, 396
Wolfe, L. R., Recent breeding of common raven in west-central Texas, 280
Woodcreeper, buff-throated, 138
plain-brown, 135
white-chinned, 135-136
Woodpecker, cactus, 396
downy, 351
hairy, 351
ladder-backed, 199
red-bellied, 351
red-headed, 351
Strickland, 83
Wren, buff-breasted, 70
cactus, 121-127, 196, 388-389
Carolina, 351
house, 125
riverside, 71
rock, 197
southern house, 68

X

- Xanthocephalus xanthocephalus, 396
Xenodacnis parina, 393
Xenospingus concolor, 393
Xiphorhynchus guttatus, 138

Y

- Yellow-eyed penguin, 323
 Yellowlegs, lesser, 173, 174
 Yellowthroat, 351
 Yocom, Charles F. and Stanley W. Harris, Records
 of snowy owls in California, 392
 Young, Allen M., Predation by catbirds on dragon-
 flies, 184

Z

- Zar, Jarrold H., Standard metabolism comparisons be-
 tween orders of birds, 278

- Zenaida asiatica, 267
 Zenaidura macroura, 1-13, 31-34, 197, 267
 Zimmerman, Dale A., Specimen of the magnificent
 frigatebird from New Mexico, 398
 Zonotrichia atricapilla, 14, 17, 90
 capensis, 179
 leucophrys, 14-30, 268, 326, 367
 leucophrys gambelii, 14, 17, 22, 280, 385-386
 leucophrys nuttalli, 14-30, 370
 leucophrys oriantha, 14, 17
 leucophrys pugetensis, 14-30
 Zosterops japonica, 107

